



Bhagat Phool Singh Mahila Vishwavidyalaya
Department of Engineering Cell
Khanpur Kalan (Sonapat), Haryana-131305

Office No. 01263-283007,283530, Fax No. 01263-283779, www.bpswomenuniversity.ac.in

NOTICE Re- INVITING TENDER

Sealed tenders as per schedule/DNIT attached are hereby re-invited on behalf of Registrar in her Office at BPSMV Khanpur Kalan through Registered post/speed post from the fabricator, dealers, supplier and Eligible Contractor enlisted with Haryana PWD (B&R) /CPWD/MES and Labour & Construction Co-operative Societies for the below noted work. If the date on which the tenders are to be received is declared holiday then the tender will be received on the next working day. The tender shall be opened on the same day in the presence of the tenderer or the authorized representative/agents who may like to be present at that time:-

Sr. No.	Name of Work	App. Cost.	Time Limit	Date & Time for Receiving of Tender		Date & Time for opening of Tender	
				Date	Time	Date	Time
1.	Tender for providing and fixing aluminum partition in library of IHL (Degree College) & repairing the aluminums doors and portion of Central Library & Polytechnic library at B.P.S.M.V. Khanpur Kalan (Re-Invited)	89,446/-	30 days	08.12.2022	1:00 pm	08.12.2022	3:00 pm

1. The rates of all items should be quoted on item rate basis.
2. The limited tenders/quotations may be sent in favour of Registrar, BPSMV Khanpur Kalan, in sealed envelope through Registered Post/Speed Post with mentioning tender name in bold letter on the envelop.
3. Engineering –In-Charge is competent to increase/decrease the quantity of work.
4. Central/ State taxes will be deducted from the work done amount as applicable from time to time.
5. The work shall be executed as per specifications given in the DNIT.

SDE (Civil)
For Registrar

Endst. No./ BPSMV /Engg./22/

Dated

A copy of the above is forwarded to the following for information and necessary action:-

1. Notice Board.

SDE (Civil)

DETAILED NOMINCLATURE.

NAME OF WORK:- Tender for providing and fixing aluminum partition in library of IHL (Degree College) & repairing the aluminums door and portion of Central Library & Polytechnic library at B.P.S.M.V. Khanpur Kalan .

Approx. Cost : 89,446/-

Date of Tender: 08.12.2022

Sr. No.	Description of items	Qty.	Unit	Rate to be quoted by the agency in words and in figures, FOR including VAT & taxes.	
				In Figure	In Word
1.	Dismantling aluminium/ Gypsum partitions, doors, windows, fixed glazing and false ceiling including disposal of unserviceable material and stacking of serviceable material within 50 meters lead as directed by Engineer-in-charge. (HSR- 5.49)	48.46	Sqm.		
2.	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, panelling and dash fasteners to be paid for separately) : Powder coated aluminium (minimum thickness of kg powder coating 50 micron) (HSR- 12.157.1.2)	74.20	K.G		
3.	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminium doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge. Pre-laminated particle board with decorative lamination on both sides (HSR-12.158.2)	30.60	Sqm.		
4.	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with	6.66	Sqm.		

	EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm) (HSR-12.159.2)				
5.	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 356 4, embossed on the body, door weight up to 35 kg and door width up to 7 00 mm), with necessary accessories and screws etc. complete. (HSR-12.88)	01	Each		
6.	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 1 O as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. Single rubber stopper (HSR-12.103.1)	01	Each		
7.	Providing and fixing ISI marked aluminium butt hinges anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete: 25x63x4 mm (HSR-12.97.2)	24	Each		
8.	Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineer-in-charge Powder coated minimum thickness 50 micron aluminium (HSR-12.167.2)	02	Each		
9.	Providing and fixing Brass 100mm mortice latch and lock with 6 levers without pair of handles (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete. (HSR-12.164)	02	Each		
10.	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 200x10 mm (HSR-12.99.3)	10	Each		
11	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all	10	Kg.		

	complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, panelling and dash fasteners to be paid for separately) : For fixed portion Anodised aluminium (anodised transparent or kg dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15) (HSR- 12.157.1.1)				
12	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm) (HSR-12.159.2) Note:- Labour rate only.	21.26	Sqm.		
13	Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISI, IS: 3564, embossed on the body, door weight up to 36 kg to 80 kg and door width from 701 mm to 1 000 mm), with double speed adjustment with necessary accessories and screws etc. complete.(HSR-12.89)	01	Each		
14	EPDM Gasket for uPVC window/door (B0781)	80	Rmt.		
15	Providing fixing aluminium round shape handle of outer dia 100mm with screws etc. complete. Powder coated minimum thickness 50 micron (HSR-12.108.2)	05	Each		
16	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS : 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight up to 125 kg, for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge. With stainless steel cover plate minimum 1.25 mm thickness (HSR-12.160.1)	05	Each		
17	Providing and fixing oxidised M.S. hasp and staple (safety type) conforming to IS : 363 with necessary screws etc. complete : 150mm (HSR-12.70.1)	01	Each		

JE (Civil)

SDE (Civil)